		) W
	Application No.	Applicant(s)
Notice of Allowability	10/046,846	BOMAR ET AL.
	Examiner	Art Unit
	Russell Frejd	2128
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>applicant's amendment received on 27-April-2004</u> .		
2. The allowed claim(s) is/are <u>55-82</u> .		
3. The drawings filed on 14 January 2002 are accepted by the Examiner.		
<ul> <li>4. ☐ Acknowledgment is made of a claim for foreign priority up a) ☐ All b) ☐ Some* c) ☐ None of the:</li> <li>1. ☐ Certified copies of the priority documents have</li> <li>2. ☐ Certified copies of the priority documents have</li> <li>3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	re been received. re been received in Application N	0
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> </ol>		
6. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
<ol> <li>hereto or 2) ☐ to Paper No./Mail Date</li> <li>including changes required by the attached Examiner's Amendment / Comment or in the Office action of</li> </ol>		
Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)		
1. ☐ Notice of References Cited (PTO-892)	<u>—</u>	nal Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Ma	il Date
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date	7. ⊠ Examiner's Am	endment/Comment
<ol> <li>Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ol>	8. ⊠ Examiner's Sta 9.	tement of Reasons for Allowance

Serial Number: 10/046,846

In re Application of: BOMAR Jr. et al.

## Allowance of Application # 10/046,846

The following communication is in response to applicant's Amendment, received 27-1. April-2004. This application is a Continuation of and Terminally Disclaimed to the patent term accorded to application 09/243,202, filed on 2-February-1999, now U.S. Patent No. 6,381,561.

## Examiner's Amendment

- An Examiner's Amendment to the record appears below. Should the changes and/or 2. additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.
- In the Specification: 3.
- Add -U.S. Patent Application Serial No. 09/243,202, now-Page 1 Line 12 between "continuation of" and "U.S. Patent".

Add -now U.S Patent No. 6,470,303-between "February 4, Line 15 1998," and "both of which".

## Reasons for Allowance

The following is an Examiner's Statement of Reasons for the indication of allowable 4. subject matter. The instant application is directed to a nonobvious improvement over the inventions described in the related prior art, the improvement comprising a damage rating based Serial Number: 10/046,846

In re Application of: BOMAR Jr. et al.

on repair/replace information of the damaged components of a vehicle, wherein the damage rating is compared with a damage rating obtained from crash tests to determine whether the damage rating based on the repair/replace information will be used in estimating the change in velocity of the vehicle. This patentable distinction is included in each of the independent claims nos. 55-57, 60, 69, 73 and 80. The art of record, either individually or in combination, fails to teach, suggest, or render obvious the useful, concrete and tangible < damage rating based on repair/replace information of the damaged components of a vehicle > having the corresponding structure which is disclosed in the specification and equivalents thereof. In view of the foregoing, the claims of the present application are found to be patentable over the prior art.

## Response Guidelines

Any comments considered necessary by applicant MUST be submitted no later than the 5. payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should clearly be labeled "Comments on Statement of Reasons for Allowance".

Any response to the Examiner in regard to this allowance should be 6.

Russell Freid, telephone number (703) 305-4839, Monday-Friday from directed to:

0630 to 1500 ET, or the examiner's supervisor, Kevin Teska, telephone number (703) 305-9704. Any inquiry of a general nature should be directed to the Tech Center 2100 receptionist, telephone

number (703) 305-3900. The TC 2100 Customer Service telephone

number is (703) 306-5631.

Commissioner of Patents and Trademarks mailed to:

Washington, D.C. 20231

or faxed to: (703) 872-9306

**Serial Number: 10/046,846** 

In re Application of: BOMAR Jr. et al.

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington. VA., Fourth Floor (Receptionist).

Date: 10-June-2004

RUSSELL FREJD PRIMARY EXAMINER

Ruseu FREID